



**CERTIFICATE OF MAILING**

I hereby certify that this TRANSMITTAL is being deposited with the U.S. Postal Service, with sufficient postage, as first class mail in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450, on this 1<sup>st</sup> day of November, 2004.

Typed or Printed name of person signing this certificate:

Signed: Wendy A. Frick

c of c

Customer Number <b>24024</b>
---------------------------------

04832464

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent of: )  
de Boer, et al. )  
Patent No.: 6,809,180 **B2** )  
Issue Date: October 26, 2004 )  
For: **COMPOSITIONS AND METHODS** )  
**FOR SCREENING ANTIMICROBIALS** )

Examiner: Bugaisky, Gabriele

Art Unit: 1653

Attorney Docket No.: 27708/04087

**Certificate**  
**NOV 08 2004**  
**of Correction**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

**TRANSMITTAL OF REQUEST FOR CERTIFICATE OF CORRECTION  
OF PATENT FOR PTO MISTAKE (37 CFR § 1.322(a))**

Sir:

Herewith is a certificate of Correction for the above-identified U.S. patent.

The error noted on the Certificate was discovered during routine proofreading of the Letters Patent. Please correct the above-identified patent to reflect this change.

Our records indicate that the identified mistakes resulted from an error on the part of the Patent Office. Accordingly, it is not believed that any fee is due with respect to this Certificate of Correction, and no fee is being submitted herewith.

NOV 10 2004


If this is not the case, please charge any amount that may be incurred to Deposit Account  
No. 03-0172. A duplicate of this sheet is enclosed.

Respectfully submitted,

Date: November 1, 2004

By: Pamela A. Docherty  
Pamela A. Docherty, Reg. No. 40,591  
(216) 622-8416

NOV 10 2004



Customer Number

24024

**CERTIFICATE OF MAILING**

I hereby certify that this TRANSMITTAL is being deposited with the U.S. Postal Service, with sufficient postage, as first class mail in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450, on this 1<sup>st</sup> day of November, 2004.

Typed or Printed name of person signing this certificate:

*Wendy A. Frick*

Signed: *Wendy A. Frick*

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent of:

de Boer, et al.

Examiner: Bugaisky, Gabriele

Patent No.: 6,809,180 *B2*

Art Unit: 1653

Issue Date: October 26, 2004

For: **COMPOSITIONS AND METHODS  
FOR SCREENING ANTIMICROBIALS**

Attorney Docket No.: 27708/04087

Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

**TRANSMITTAL OF REQUEST FOR CERTIFICATE OF CORRECTION  
OF PATENT FOR PTO MISTAKE (37 CFR § 1.322(a))**

Sir:

Herewith is a certificate of Correction for the above-identified U.S. patent.

The error noted on the Certificate was discovered during routine proofreading of the Letters Patent. Please correct the above-identified patent to reflect this change.

Our records indicate that the identified mistakes resulted from an error on the part of the Patent Office. Accordingly, it is not believed that any fee is due with respect to this Certificate of Correction, and no fee is being submitted herewith.

NOV 10 2004

If this is not the case, please charge any amount that may be incurred to Deposit Account  
No. 03-0172. A duplicate of this sheet is enclosed.

Respectfully submitted,

Date: November 1, 2004

By: Pamela A. Docherty  
Pamela A. Docherty, Reg. No. 40,591  
(216) 622-8416

NOV 10 2004

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO : 6,809,180 B2  
DATED : October 26, 2004  
INVENTOR(S) : Piet A.J. de Boer and Cynthia Hale

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 42, line 31, after "reporter" please delete "grew".

MAILING ADDRESS OF SENDER  
Pamela A. Docherty, Esq.  
Calfee, Halter & Griswold LLP  
1400 McDonald Investment Center  
800 Superior Avenue  
Cleveland, Ohio 44114

PATENT NO. 6,809,180 B2

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending on the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Office, Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, D.C. 20231.

(Certificate of Correction IPTO/SB/44) [14-3]-page 1 of 1)

NOV 10 2004

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO : 6,809,180 B2  
DATED : October 26, 2004  
INVENTOR(S) : Piet A.J. de Boer and Cynthia Hale

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 42, line 31, after "reporter" please delete "grew".

MAILING ADDRESS OF SENDER  
Pamela A. Docherty, Esq.  
Calfee, Halter & Griswold LLP  
1400 McDonald Investment Center  
800 Superior Avenue  
Cleveland, Ohio 44114

PATENT NO. 6,809,180 B2

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending on the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Office, Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, D.C. 20231.

(Certificate of Correction IPTO/SB/44) [14-3]-page 1 of 1)

NOV 10 2004